New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. XXVIII.
(JANUARY–JUNE, 1924.)

Published by direction of
The Hon. W. NOSWORTHY,
Minister of Agriculture.

Editor: R. H. HOOPER.

WELLINGTON.
BY AUTHORITY: W. A. G. SKINNER, GOVERNMENT PRINTER.
1924.

Digitized by the Internet Archive
in 2025

https://archive.org/details/new-zealand-journal-of-agriculture_1924_28_indexcontents

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME XXVIII.

(January - June, 1924.)

GENERAL INDEX.

A.

Acidity-reduction in cream, 180.
Agricultural education, 267.
Agricultural interest, inventions of, 72, 353.
Agricultural shows, forthcoming, 72, 143, 207.
Agriculture, the relation of birds to, in New Zealand, 35, 106, 320.
Agrostis species, the, 73.
Alkali, 257.
Alsike, 13.
Answers to inquiries, 66, 140, 209, 282, 354, 422.
Apiary, the (monthly notes), 60, 136, 200, 277, 346, 418.
Apple and pear, black-spot of, 21.
Apple leaf-hopper, 56.
Apple-packing standards for the local market, 70, 141.
Apples, loss in weight of stored, 268.
Apple-wine, 249.
Aston, B. C.—
  Strychnine and its poisonous action: Treatment in cases of accident, 182.
  Bush-sickness investigation: Five years' work at the Mamaku Demonstration Farm, 215.
  The bush-sickness investigation: Laboratory work and results, 301, 381.
  Importation of fertilizers in 1923–24: Annual statistics and notes, 332.
Atkinson, E., and Myers, J. G.—
  The relation of birds to agriculture in New Zealand
  The herons and ducks, 35.
  The pigeon, kiwi, rails, and shorabirds, 166.
  The sea-birds, 320.
Australasian Angora and Milch-goat Breeders' Association, 193.
Autumn grassing, 53.

B.

Banded dotterel, the, 174.
Bee-escapes, 137.
Bees, honey, and appliances, introduction of, 425.
Bees, moving of, 418.
Best stage for cutting wheat, the: Further experiments at Lincoln, 400.
Birds, the relation of, to agriculture in New Zealand, 35, 166, 320.
Bittern, the, 36.
Black-backed gull, the, 320.
Blackberry, control of, 140.
Blackberry, goats and, in Pelorus Valley, 335.
Black-spot of apple and pear: Experiments in possible methods of reducing infection, 21.
Black swans, the, 41.
Blow-fly, sheep attacked by, 354.
Blue duck, the, 40.
Blue heron, the, 37.
Bluestone treatment for foot-rot in sheep, 422.
Board of Agriculture, 181.
Bones, burnt, manurial value of, 338.
Bran and pollard: Their relative composition and qualities, 315.
Brown duck, the, 39.
Brown, F. C. — Poultry-keeping (monthly notes), 58, 133, 198, 275, 414.
Brown-top or colonial bent, 73.
Bush-sickness investigation: Five years' work at the Mamaku Demonstration Farm, 215.
Bush-sickness investigation, the: Laboratory work and results, 301, 381.
Butter and cheese factory grading averages, 1923–24, 406.
Butter, home-made, 65.
Butter-making, a ready-reckoner for use of soda in, 180.

C.

Calder, J. W.—The best stage for cutting wheat: Further experiments at Lincoln, 400.
Calcium cyanide for rabbit-fumigation, 330.
Calves, treatment of, 231.
Cattle-breeding, the Hague International Congress on, 1923, 205.
Cattle-tick, history of the, in New Zealand, 314.
Champagne cider, 248.
Chaff, hay, or straw packing, burning of imported, 210.
Cheese and butter factory grading averages, 1923–24, 406.
Cider-making: Practice for New Zealand conditions, 92, 189, 247.
Citrus-culture (monthly notes), 57, 133, 197, 274, 342, 414.
Clover, cows and sheep blown on, 66.
Clover-seeds, percentage of purity and germination of, 396.
Clover-seeds: Economic species of the genus *Trifolium* in New Zealand, 11.
Clover, introduction of, into pastures by surface-sowing, 331.
Clustered-clover seed, 19.
Codlin-moth, 56.
Collard, J. W.—The orchard (monthly notes), 57, 133, 197, 274.
Consolidated index of the *Journal*, 356.
Contagious mammitis, 175.
Contagious vaginitis in cows, 355.
Control of export of apples to South American markets, 52.
Cook, J. G.—Introduction of sheep into New Zealand: Record of first entry of each breed, 161.
Cow-grass seed, 13.
Cows returning to bull, 141.
Cows slipping their calves, 422.
Cows, testing of purebred dairy, 104.
Cream, acidity-reduction in, 180.
Creeping-bent, 86.
Crimson clover, 15.
Cryptolæmus ladybird, 163.
Cunningham, G. H.—Fabraea-scald, 96.
Curtis, K. M.—Black-spot of apple and pear: Experiments in possible methods of reducing infection, 21.
Cutworm, the, 244.

D.

Dairy Division—
Acidity-reduction in cream: A ready-reckoner for use of soda in buttermaking, 180.
Grading of export butter and cheese: Leading factory averages for 1923–24, 406.
Dairy-herd-testing associations: Development in 1923–24 season, 390.
Dairy-industry exhibition at Buenos Aires, 5.
Dairy records, 267.
Dalgliesh, C. S.—Liming for Westland soils: Tests on the heavier lands, 28.
Danthonia, burning off, 210.
Danthonia-paspalum pasture, renovating a, 282.
Davis, B. M.—Root-development of lucerne, 179.
Deem, J. W.—
Spontaneous combustion of hay: An experience at Moumahaki Experimental Farm, 265.
Introduction of clover into pastures by surface-sowing, 331.
Dogs, quarantine of imported, 286.
Dry cider, 247.
Ducks, 37.
Duty of water in irrigation, 258.

E.

Ear-marks, tattooing, 65.
Earp, E. A.—The apiary (monthly notes), 60, 136, 200, 277, 418.
Education, agricultural, 267.
Eggs and egg-pulp, &c., in store, stocks of, 286.
Eggs, New Zealand, street-window display of, in London, 211.
Eggs, production of autumn and winter, 415.
Estimated yields of wheat and oat crops, 144.
Export of purebred dairy cattle, 116.
Egyptian clover, 19.

F.

Fabraea-scald: A fungous disease of the pear and the quince, 96.
Farm-schools, winter, 1924, 286.
Farm, the (monthly notes), 53, 128, 194, 270, 339, 410.
Ferrets, breeding, 282.
Foal, rearing a motherless, 283.
Fowls with foot trouble, 209.
Foxglove, control of, 283.
Fertilizers, importation of (quarterly returns), 141, 353.
Fertilizers, importation of, in 1923–24, 332.
Fields Division—The farm (monthly notes), 53, 128, 194, 270, 410.
Fireblight, 57, 133, 197, 414.
Flowers and lawns, 63, 139.
Foot-rot in sheep, bluestone treatment for, 422.

Foster, L. D.—
Bran and pollard,: Their relative composition and qualities, 315.
Testing of New-Zealand-grown wheats: A further series of samples, 401.
Foy, N. R.—
Clover-seeds: Economic species of the genus *Trifolium* in New Zealand, 11.
Fumigation of agricultural seeds in 1923, 91
The official seed-testing station: Operations in 1923–24, 392.
Freezing-stock, rough-handling of, 178.

G.

Gannet, the, and shags, 324.
Garden, the (monthly notes), 63, 138, 203, 279, 349, 420.
Garden-making, 279.
Geese and duck, introduced, 41.
Germination of agricultural seeds: New Zealand official tests, 1923, 91.
Gladiolus, growing of, from seed, 355.
Goats and blackberry in Pelorus Valley, 335.
Godwit, the, 173.
Greenwood, F. W.—Lucerne as a protection against fire, 103.
Grading averages of butter and cheese factories, 1923–24, 406.
Grading of export butter and cheese: Leading factory averages for 1923–24, 406.
Grading of New Zealand honey for export, 186.
Grass-grub beetle proved to be turnip-fly, 239.
Finer second-class grasses, importance of the, 294.
Grass-seeds, percentage of purity and germination of, 393.
Grassing of hilly bush country, 10.
Grasslands of New Zealand, the—
The *Agrostis* species, 73.
The Taranaki back-country: Present-day position of the hill pastures and constitution of the pasture sward, 287.
Green crops, 128.
Green-manuring trial in Canterbury, 52.
Grey duck, the, 39.
Grey teal, the, 39.
Gulls and terns, the, 320.
Gum-tree scale and its control, the, 1.

H.

Hall, Edwin.—Notes on stock-breeding, 6.
Hague International Congress on Cattle-breeding, the, 1923, 205.
Hares and opossums in the orchard, 282.
Haresfoot trefoil, 20.
Hay, spontaneous combustion of, 265.
Hay, straw, or chaff packing, burning of imported, 210.
Herons, the, 35.
Honey for export, grading of New Zealand, 186.
Honey-grading dates, 1924, 213.
Horses, broken-winded, 354.
Horticulture, New Zealand Institute of, 281.
Hyde, W. C.—The garden (monthly notes), 63, 138, 203, 279, 420.

I.

Identification of purebred stock, 144.
Importation of fertilizers in 1923–24: Annual statistics and notes, 332.
Importation of fertilizers (quarterly returns), 141, 353.
Importation of live-stock, restrictions on, 127.
Inbreeding, the question of, 6.
Inquiries, answers to, 65, 140, 209, 282, 354.
Introduction of sheep into New Zealand: Record of first entry of each breed, 161.
Inventions of agricultural interest, 72, 144, 281, 353.
Irrigated lands, 131.
Irrigation and its practice—
Central Otago region and schemes, the, 146.
Methods of applying water and preparation of the land, 357.
Some principles and definitions, 252.

K.

Kiwis, the, 167.

L.

Lawn, laying down a, 140.
Lawns, flowers and, 63, 139.
Leaf-roller caterpillar, 56.
Leaky teats, heifer with, 67.
Levy, E. B.—The grasslands of New Zealand—
The *Agrostis* species — red-top, brown-top, and creeping-bent, 73.
The Taranaki back-country: Present-day position of hill pastures and constitution of the pasture sward, 287.
Light cider, 248.
Liming for Westland soils, 28, 355.
Linseed for horses, 423.
Live-stock Division—
Rabbit-poisoning with strychnine: Various baits and methods, 32
Rabbit-poisoning with phosphorized pollard and grain, 123.
Live-stock, restrictions on importation of, 127.

Loss in weight of stored apples, 268.
Low hop clover, 21.
Lucerne, 130.
Lucerne as a protection against fire, 103.
Lucerne inoculation, 31.
Lucerne, root-development of, 179.
Lucerne-seed crop, the, 176.

M.

Mackerel gull, the red-billed or, 323.
Mamaku Demonstration Farm, five years' work at the, 215.
Mammitis, contagious, 175.
Manurial dressing, spent oxide as a, 34.
Manurial value of burnt bones, 338.
Marks, J. R., and Tennent, R. B.—Irrigation and its practice, 145, 252, 357.
Mealy-bug pest in orchards, the, 163.
Meat-freezing works in New Zealand, 1923–24, 214.
Meteorological Office: Weather records, 68, 142, 212, 284, 352, 424.
Miller, D.—
The gum-tree scale and its control, 1.
The mealy-bug pest in orchards: Control by *Cryptolmæus* ladybird, 163.
The "turnip-fly" and its associates: "Fly" proved to be the grass-grub beetle, 239.
Milling-qualities of New-Zealand-grown wheats, 401.
Myers, J. G.—Ticks on cattle and other stock: The North Auckland investigation, 306.
Myers, J. G., and Atkinson, E.—The relation of birds to agriculture in New Zealand—
The herons and ducks, 35.
The pigeon, kiwis, rails, and shore-birds, 166.
The sea-birds, 320.

N.

Nauru phosphate, highly ground, 204.
New Zealand Institute of Horticulture, 281.
New Zealand plants, the cultivation of (review), 426.
Nitrate-of-soda solution and animals, 65.
Noxious weeds, 64, 188, 251, 335, 380.

O.

Oat and wheat crops, estimated yields of, 144.
Oat-husks as stock-food, 67.
Oats threshings, wheat and, 35.
Official seed-testing station, the: Record of operations in 1923–24, 392.
Opossums and hares in the orchard, 282.
Orchard, the (monthly notes), 55, 132, 196, 273, 341, 412.
Orchards, the mealy-bug pest in, 163.

P.

Pan-Pacific Food-conservation Conference, 356.
Paradise duck, the, 39.
Paspalum and danthonia pasture, renovating a, 282.
Pasture top-dressing trial in South Westland, 31.
Patents (agricultural) applied for, 72, 144, 281, 353.
Paynter, L.—The orchard (monthly notes), 273, 410.
Pear, black-spot of apple and, 21.
Pear-trees, removing of, 422.
Pelorus Valley, goats and blackberry in, 335.
Perry, 250.
Petrels, the, 328.
Phosphate, highly ground Nauru, 204.
Phosphorized pollard and grain, rabbit-poisoning with, 123.
Phosphorus and strychnine, price of, 425.
Ploughs, draught of, 209.
Pigeon, the, 166.
Pigs, feeding skim-milk to, 66.
Pigs from England, stud, 69.
Pigs, mortality among, 209.
Plants, the cultivation of New Zealand (review), 426.
Pollard and bran: Their relative composition and qualities, 315.
Poultry-keeping (monthly notes), 58, 133, 198, 275, 343, 414.
Price of strychnine and phosphorus, 425.
Pukeko, the, 168.
Purebred dairy cows, testing of, 42, 104.
Purebred stock, identification of, 144.
Pure seed-wheat, 67.

Q.

Quarantine of imported dogs, 286.

R.

Rabbit control and trapping, 319.
Rabbit-fumigation, calcium cyanide for, 330.
Rabbit-poisoning with phosphorized pollard and grain, 123.
Rabbit-poisoning with strychnine, 32, 127.

Rabbit-proofing a boundary fence, law as to, 423.
Rails, the, 168.
Rails, the smaller, 170.
Ratstail in pastures, 423.
Ready-reckoner for use of soda in buttermaking, a, 180.
Ready-reckoner for weight of field crops per acre, a, 50, 125, 336.
Red-clover seed, 13.
Red-top, 74.
Relation of birds to agriculture in New Zealand, the—
The herons and ducks, 35.
The pigeon, kiwis, rails, and shore-birds, 166.
The sea-birds, 320.
Review, "The Cultivation of New Zealand Plants," 426.
Rice, W. H.—The orchard (monthly notes), 55, 132, 196.
Root and cruciferous forage seeds, percentage of purity and germination of, 398.
Root-development of lucerne, 179.
Royal Agricultural Society of New Zealand, 103.
Rural land-holdings in New Zealand, 1922–23, 208.

S.

Salt, feeding loose, to sheep, 67.
Sand-drift areas, 193.
Scale and its control, the gum-tree, 1.
Scaup, the, 40.
Schwass, C. H.—A ready-reckoner for weight of field crops per acre, 123, 125, 336.
Seasonal notes (monthly), 53, 128, 194, 270, 339, 410.
Seed research work, 122.
Seeds, germination of agricultural, 91.
Seed-testing station, the official: Record of operations in 1923–24, 392.
Shags, the gannet and the, 324.
Sheep attacked by blow-fly, 354.
Sheep, introduction of, into New Zealand, 161.
Shipping-facilities between Vancouver and Britain, 213.
Shore-birds, the, 173.
Shoveller, the, 40.
Shows, forthcoming agricultural, 72, 143, 207.
Shows, forthcoming winter, 286, 356.
Singleton, W. M.—
Dairy-herd-testing associations: Development in 1923–24 season, 390.
Testing of purebred dairy cows (C.O.R. lists), 42, 117.
Testing of purebred dairy cows: Review of the New Zealand C.O.R. system in 1923, 104.
Small-fruits, 63, 139, 203, 420.
Smith, J. M.—The lucerne-seed crop, 176.
Soda in buttermaking, a ready-reckoner for use of, 180.
Soil, physical nature of the, 252.
Soil, water and the, 254.
Soil-fertility in relation to the vigour of different pasture species, 294.
Sparkling cider, 247.
Spent oxide as a manurial dressing, 34.
Spontaneous combustion of hay, 265.
Stallions, registration of, 350.
Stock, purebred, identification of, 144.
Stock-breeding, notes on, 6.
Strawberry-growing, 274, 343.
Straw, hay, and chaff packing, burning of imported, 210.
Strawberry-clover, 15.
Strychnine and its poisonous action: Treatment in cases of accident, 182.
Strychnine and phosphorus, price of, 425.
Strychnine, rabbit-poisoning with, 32, 127.
Stud pigs from England, 69.
Subterranean clover, 15.
Suckling-clover, 19.

T.

Taranaki back-country, the, 287.
Tattooing ear-marks, 65.
Tennent, R. B., and Marks, J. R.—Irrigation and its practice, 145, 252, 357.
Terns, the, 324.
Testing of New-Zealand-grown wheat: A further series of samples, 401.
Testing of purebred dairy cows (C.O.R. lists), 42, 117.
Testing of purebred dairy cows: Review of the New Zealand C.O.R. system in 1923, 104.
Threshing-machines, 165.
Threshings, wheat and oats, 351.
Ticks on cattle and other stock: The North Auckland investigation, 306.
Trifolium, economic species of the genus, in New Zealand, 11.
Tuberculosis in poultry, 344.
"Turnip-fly," and its associates, the: "Fly" proved to be the grass-grub beetle, 239.
Turnip-seed, steeping in turpentine, 34.
Turpentine, steeping turnip-seed in, 34.

V

Vaginitis, contagious, in cows, 355

W.

Ward, F. E.—Green-manuring trial in Canterbury, 52.
Water and the soil, 254.
Water, measurement of, 264.
Waters, R.—Loss in weight of stored apples, 268.
Wattle-seed, sowing, for hedge, 66.
Weather records (monthly), 68, 142, 212, 284, 352, 424.
Weight, live and dead, of sheep and lambs, 140.
Westland soils, liming for, 28.
Wheat and oats threshings, 35.
Wheat and oat crops, estimated yields of, 144.
Wheat supplies and requirements, world's, 71.
Wheat, the best stage for cutting, 400.
Wheats, testing of New-Zealand-grown, 401.
White clover, 11.
Winter farm-schools, 1924, 286.
Winter shows, forthcoming, 286, 356.
Woodfin, J. C.—Cider-making: Practice for New Zealand conditions, 92, 189, 247.

Y.

Yarrow, eradicating, before lucerne, 354.